

Parametry łuków kołowych poziomych.

| EW1 |
|-------------------------|
| $\alpha = 0.4612^\circ$ |
| R = 5000.00 |
| T = 18.12 |
| K = 36.22 |

| EW2 |
|-------------------------|
| $\alpha = 2.6700^\circ$ |
| R = 3500.00 |
| T = 73.41 |
| K = 146.79 |

| EW3 | | | |
|--------------------|-------------------------|------------------------|--|
| T = 63,39 | A = 111,24 | T' = 18,07 | |
| B = 3,33 | L = 45,00 | Z' = 0,59 | |
| K = 126,10 | $\alpha = 8,3567^\circ$ | T _k = 15,01 | |
| $\gamma = 18,7741$ | $\tau = 5,2087^\circ$ | T ₀ = 30,01 | |
| R = 275,00 | H = 0,31 | X = 44,97 | |
| | K' = 36,10 | Y = 1,23 | |

| EW4 | | | |
|--------------------|-------------------------|------------------------|--|
| T = 43,94 | A = 73,48 | T' = 13,70 | |
| B = 2,52 | L = 30,00 | Z' = 0,52 | |
| K = 87,34 | $\alpha = 9,6696^\circ$ | T _k = 10,01 | |
| $\gamma = 20,2799$ | $\tau = 5,3052^\circ$ | T ₀ = 20,01 | |
| R = 180,00 | H = 0,21 | X = 29,98 | |
| | K' = 27,34 | Y = 0,83 | |